

SPECIFICATIONS

ARTICLE

<u>Designation</u>: Food safe penetrating oil

Code bobet : **24670**Selling Unit : **Unit**



Non-contractual pictures

CHARACTERISTICS



- Exclusive biodegradable vegetable ester-based formula for incidental contact with food. Contains lubricating, anti-seize, anti-wear, anti-corrosion and water-repellent agents.
- High wetting and penetrating power thanks to low surface tension.
- Disperses traces of rust and old grease residues
- Efficiently lubricates delicate mechanisms in the food industry
- Repels moisture and protects against corrosion
- Reduces wear and tear and facilitates dismantling
- Safe for all metals and most plastics
- Guaranteed free of silicone, acid, chlorine and aromatics
- Guaranteed MOSH- and MOAH-free
- Over 65% biodegradable preparation
- Density at 20°C / ISO 12-185: $0.88\,$
- Flash point / ISO 2719 : > 150°C
- Temperature range: 5 to 140°C

INSTRUCTIONS FOR USE:

Shake can before use, then spray 20 cm from surfaces to be treated. Allow to work for a few moments, then disassemble seized parts. Repeat the operation for severely seized parts.

RECOMMENDATION:

- Particularly recommended for unjamming mechanisms blocked by corrosion in food environments (hot, humid, corrosive environments...)
- Can be used in all food processing industries: canneries, industrial bakeries, slaughterhouses, processing plants, etc.

processing plants...

- Removes burnt-in grease from bearings
- 400 ml aerosol (box of 12)
- Shelf life: 36 months in original, unopened packaging
- Storage: at room temperature, away from light, moisture and excessive temperatures.

STANDARDS:



Registered under number 167620 category code H1 by NSF.