

SPECIFICATIONS

ARTICLE

Designation : **Lubrifiant 3H**

Code bobet : **17918**

Selling Unit : **Unit**

Non-contractual pictures

**CHARACTERISTICS**

FLUID LUBRICANT, MULTI-PURPOSE FOR CASUAL CONTACTS IN THE FOOD INDUSTRY

CHARACTERISTICS

Lubricant in the form of aerosol oil for the lubrication of mechanisms in the food industry: chains, pins, cams, pivots, etc.

This lubricant is registered under number 164196, grade 3H.

ADVANTAGES

- Colourless, odourless, tasteless
- Chemical and biological inertness : high resistance to oxidation, rancidity compared to vegetable oils
- GMO free
- Can be used on any piece : metallic, plastic, elastomer...
- Can be used from -5 °C to +120 °C

TECHNICAL DATAS

- ISO grade : ISO VG 32
- Viscosity at 40°C : NFT 60-100 : 32 mm²/s
- Flash point : NFT 60-118 : >210°C
- Pour point : NFT 60-105 : -7°C
- Density : 0.870

APPLICATIONS :

- In food industries and pharmaceuticals
- Lubrication of delicate and precision mechanisms
- Release agent, anti-foam

INSTRUCTIONS FOR USE :

- Shake before use
- Spray evenly on the surfaces to be treated, clean and dry surfaces

STORAGE :

- Expiration date : 36 months in its original closed package
- Storage : at room temperature, away from light, humidity and extreme temperatures.

PACKAGING :

400 ml spray

Box of 12

STANDARDS :

NSF

Registration number for grade 3H n° 164196